BIOVIRIDIAN

Excellence in HPLC-MS Analysis

CERTIFICATE OF ANALYSIS

Web Verification Code: **COA10400**

SAMPLE RECEIVED
September 30, 2026

COA ISSUED
October 9, 2026

SAMPLE INFORMATION

Vendor
S2 Wellness

Sample Name
BAC Water 3mL

Sample Type
Clear liquid

Lot Number
NA

Molecular Weight
91.1 g/mol

ANALYTICAL METHODS


Identity: Confirmed via LC–MS/MS
Purity: RP-HPLC (214 nm)
Content: HPLC quantitation


TEST RESULTS

Specification	Result	Method	Status
Identity: BAC Water	Benzyl alcohol	LC-MS/MS	✓ Conforms
Content	1.004%	HPLC Quantitation	✓ Conforms
Overall Purity	99.75%	RP-HPLC (214 nm)	✓ Conforms
pH	8.48	<pH Meter>	✓ Conforms

HPLC Chromatogram · Retention Time 6.616 **min**







Certification: This Certificate of Analysis confirms that the tested material meets or exceeds Bioviridian's analytical quality specifications for peptide research use.

Verify authenticity at **bioviridians.com/coa-search.html** using the Web Verification Code above.

info@bioviridians.com

Shane Straight

Shane Straight, M.S.
Principal Chemist, Bioviridian Inc.