STERIGENIX

CERTIFICATE OF ANALYSIS

REPORT # RPT-2026-368838

Client S2 Wellness **Analyzed** 07/21/2026

This Certificate of Analysis certifies that the sample listed herein was tested by SteriGenix using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	AOD 5MG	**Form**	Lyophilized
Batch	SGX-SW-2026-0713-K11	**Labeled Qty**	5MG
Mol. Formula	C170H267N47O50S	**CAS Number**	221231-10-3
Cap Color	Red	**Crimp Color**	Silver
Appearance	White Powder		

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Identity Confirmation (LC-MS)	AOD-9604	**AOD-9604**	✓
Batch Avg Purity (HPLC)	(>98%)	**99.76**	✓
Net Peptide Content	5MG ± 10%	**4.98**	✓

HEAVY METAL SCREENING


No data.

BATCH CONFORMITY RESULTS

No data.

HPLC CHROMATOGRAM

HPLC CHROMATOGRAM · AOD 5MG DETECTOR: UV 214 NM · 07/21/2026



SAMPLE PHOTOS



AS RECEIVED

RECONSTITUTED (BACT. WATER) — CLARITY CHECK

Dr. R. Caldwell
ANALYST
ID: AN-3271

Dr. P. Andersen
QC REVIEWER
ID: QR-5418

Dr. H. Whitman
QA DIRECTOR
ID: QA-1090

sterigenixanalytical.com/verify

Report#: RPT-2026-368838
Access Code: SGX-SW-2026-0713-K11